DATASHEET / BROCHURE

# WorkForce DS-770II



## Intelligent compact sheet-fed scanner with innovative smart features to ensure the highly-efficient scanning of many documents quickly.

With powerful media handling and innovative smart features to ensure a high level of data integrity, the WorkForce DS-770II is geared towards highly-efficient and simple integration into an organisation's workflow. With a 100-page ADF and the ability to scan at up to 45ppm/90ipm, it offers a wide range of media handling options that enable you to rapidly capture, index, store and share business documents.

## Intelligent features improve efficiency, accuracy and data reliability

With an industry-first slow mode<sup>1</sup> for scanning crumpled or fragile documents, the ability to scan challenging media has never been easier. The Active Separation Roller System prevents tedious document double feeds ensuring every piece of paper gets scanned and the Double Feed Detection Skip (DFDS) function means you can scan difficult media like envelopes or documents with post-it notes. Auto Scan Mode enables the processing of a vast number of documents as manageable amounts, enabling them to be scanned as one file. **Highly versatile** 

The optional flatbed scanner conversion kit allows effective document processing from stamps to passports and books. Single-pass double-sided scanning ensures rapid document processing, while it's possible to scan a versatile array of media such as paper as thin as 27gsm, or thick card at 413gsm. The A3 carrier sheet speeds up the process by automatically stitching larger documents back together digitally.

#### Flexible connectivity

High-speed USB 3.0 with TWAIN, WIA and ISIS drivers for enhanced compatibility with Document Management Systems.

#### Image enhancement and document management software

Epson Scan 2.0 software makes it easy to edit images with features such as deskew and auto rotate, while Document Capture Pro is the easy to use solution for capturing and storing electronic documents at the touch of a button.

## **KEY FEATURES**

- An industry first with Slow Mode<sup>1</sup> Scan crumpled, long or fragile documents without increasing file sizes
- Active Separation Roller System Prevents tedious double feeds ensuring every piece of paper gets scanned
- Optional flatbed scanner conversion kit

Enables scanning of items from stamps to passports, books and more

• Auto Scan Mode Quickly process physical documents in manageable amounts.



## PRODUCT SPECIFICATIONS

TECHNOLOGY		
Scanner Type	Sheetfed Scanner	
Optical Resolution	600 DPI x 600 DPI (Horizontal x Vertical)	
	e 50.8 mm x 50.8 mm (Horizontal x Vertical)	
	e 215.9 mm x 6,096 mm (Horizontal x Vertical)	
Paper Formats	A4 (21.0x29.7 cm), A5 (14.8x21.0 cm), A6 (10.5x14.8 cm), B5 (17.6x25.7 cm), B6 (12.5x17.6 cm),	
Seenning color donth	Letter, Postcard, Business cards, Plastic cards, Legal, Executive, A3 with stitching function Input: 30 Bits Color / 10 Bits Monochrome, Output: 24 Bits Color / 8 Bits Monochrome	
Scanning color depth Ultrasonic Sensor	Yes	
Category	High Capacity, General Office	
	······································	
SCANNER		
Light Source	ReadyScan LED technology	
Output Resolution	75, 100, 150, 200, 240, 300, 600, 1200 DPI	
SCAN SPEED		
Scanning Speed	Monochrome: 45 pages/min - Color: 45 pages/min measured with Size: A4 , Resolution: 200 /	
	300 dpi, Monochrome: 90 image/min - Color: 90 image/min measured with Size: A4,	
	Resolution: 200 / 300 dpi	
PAPER / MEDIA HANDLING		
Paper weight	Auto loading: 27 - 413 g/m <sup>2</sup>	
Automatic Document Feeder	Single pass dual scanning	
Туре		
Reliability Daily Duty Cycle	7,000 pages	
Automatic Document Feed	100 pages	
Duplex Scan	Yes	
SCANNING FEATURES		
Features	RGB colour dropout, Advanced Colour Dropout / Enhance, Skip blank page, A3 stiching,	
	Punch holes removal, Advanced editing, Automatic de-skew, Automatic multi-document	
	recognition, RGB colour enhance, Dual Image Output (Windows only), Auto-rotation, Text	
	enhancement, Edge fill, Unsharp Mask (USM), Descreening, Automatic Folder Creation,	
	Barcode Recognition, Zonal OCR A & B support, Full Zonal OCR	
Output formats	JPEG, TIFF, multi-TIFF, PDF, searchable PDF, secure PDF, PDF/A	
File compression features	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression	
Advanced document	Scan to Email, Scan to FTP, Scan to Microsoft SharePoint®, Scan to Print, Scan to Web	
integration	folders, Scan to Network folders	
-	folders, Scan to Network folders	
CONNECTIVITY	folders, Scan to Network folders USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional)	
CONNECTIVITY Interfaces		
CONNECTIVITY Interfaces GENERAL	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional)	
CONNECTIVITY Interfaces GENERAL Energy Use	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off)	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height)	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download)	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012	
integration CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating Systems Supported Humidity	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating Systems	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003 R2, XP Professional x64 Edition	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating Systems	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003 R2, XP Professional x64 Edition Operation 15% - 80%, Storage 15% - 85%	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating Systems Supported Humidity Supported Temperature Options	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003 R2, XP Professional x64 Edition Operation 15% - 80%, Storage 15% - 85% Operation 5° C - 35° C, Storage -25° C - 60° C	
CONNECTIVITY Interfaces GENERAL Energy Use Product dimensions Product weight Drivers Included Software Compatible Operating Systems Supported Humidity Supported Temperature	USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) (optional) 12 Watt (Operation), 5.4 Watt (Ready), 1 Watt (sleep mode), 0.1 Watt (Power off) 296 x 169 x 176 mm (Width x Depth x Height) 3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson Document Capture Pro Server (on free download), Epson Scan 2, Presto! BizCard 5.6 Citrix XenApp 5.0, Citrix XenApp 6.0, Citrix XenApp 7.6 and above, Linux, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.6.8, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8 RT, Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2008 (32/64 bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows Server 2003 R2, XP Professional x64 Edition Operation 15% - 80%, Storage 15% - 85% Operation 5° C - 35° C, Storage -25° C - 60° C	

### WorkForce DS-770II

## WHAT'S IN THE BOX

- Driver and utilities (CD)
- Main unit
- Power cable
- Setup guide
- USB cable
- Warranty document



#### **OPTIONAL ACCESSORIES**

- Carrier Sheet (set of 5)
- B12B819051 Cleaning Kit
- B12B819291
- Flatbed Scanner Conversion Kit
- B12B819011FCRoller Assembly Kit
- B12B819671

### LOGISTICS INFORMATION

SKU	B11B262401BY
EAN code	8715946685977
Country of Origin	Indonesia

WorkForce DS-770II

For more information please contact:

Home users: 0343 90 37766 Business users\*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus \* 10p per minute plus network extras. Web: www.epson.co.uk www.epson.ie  Compared to sheet-fed scanners, within the speed range of 25ppm to 45ppm, based on data from the websites and brochures of the top five best-selling scanner models in EMEA for the full year 2015 according to InfoSource Document Management Scanner Sales Full Year 2015.
Requires download from Epson website

**EPSON**<sup>®</sup>

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2021-06-23