High Speed A4 Colour Capable Network Scanner

Aficio[®]IS200e





Turn your Scanner into a Multifunctional Solution

To take care of your colour printing needs, you turn to your colour laser printer. But what about colour copies and the paper documents you have to distribute? For a streamlined day to day workflow, a multifunctional peripheral such as the Aficio[™]IS200e with its high speeds and excellent network compatibility is ideal. You simply connect this A4 colour document scanner plug and play fashion to your printer. With scan to print, copying is within reach. No need for special drivers or software installed on your PC or network. You do not even need the PC to operate the scanner. Your benefit? You save time by bypassing the PC or printer and obtain a full featured, highly productive and flexible workflow partner.



Streamline your Document Distribution

Stand alone or network attached, the Aficio[™]IS200e provides the ideal solution to smoothen your document workflow. Virtually any document distribution method is at your disposal:

scan to print

immediate & affordable colour output via existing printers (you save time and obtain a colour printer/copier).

• scan to e-mail

send scanned files directly to any e-mail address in the world (use PC or keyboard) & use a web browser to manage the integrated e-mail address book.

scan to folder

scan documents to a designated folder in the network & distribute directly without extra server or software requirements.

• scan to FTP

conveniently share graphics intensive files with remote offices by scanning to an FTP server in the LAN/WAN network.

High Performance Colour

The Aficio[™]IS200e is a full colour duplex scanner enabling you to scan up to 50 colour and/or B/W pages in one run via the ARDF (Automatic Reverse Document Feeder). High speed and excellent quality are guaranteed.

- scan speed: up to 33 ppm
- 100 600 dpi; 24-bit colour quality
- short warm up time: less than 45 seconds



The image on these pages is not a real photograph and slight differences in detail might appear.



Connectivity & Standards

Ethernet 10 base-T/100 base-TX, USB 2.0 for connection to printer, TCP/IP for trouble free network integration: the Aficio[™]IS200e has it all. Compliant with industry standards, it outputs to commonly used file formats like TIFF, multi page TIFF, JPEG and PDF.

Compatibility & Flexibility

With its embedded software, the Aficio[™]IS200e is a self-contained system compatible with virtually any existing environment. No additional software or hardware, no system overhead whatsoever. The scanner can either be mounted on a rack over a printer or placed anywhere you see fit.

Easy Monitoring & Management from your Desktop

All you need to monitor the IS200e from your PC is a common web browser. The integrated software makes sure no additional software installation is necessary. Using Web Status Monitor or the USB keyboard, administrators can change the settings of scan to e-mail, scan to folder and system settings. Of course, an advanced authentication function limits the machine's available functions and protects machine settings and stored data. The enclosed USB keyboard can be adjusted directly on the scanner.



The Keys to Optimum Security

To protect the interests of your work environment, the Aficio[™]IS200e comes with advanced security features. Using your existing Windows[®] network login infrastructure or LDAP server, you can restrict unauthorised use.

Safety Net

Ricoh has a worldwide presence. Our all-encompassing service and support organisation enables you to get the most out of your Aficio[™] device resulting in optimum document handling performance.



Ricoh's Green Commitment

In line with Ricoh's policy, the Aficio ${}^{\rm TM}{\rm IS200e}$ has been created with zero waste & low power consumption in mind:

- less than 47 W power consumption
- easily recyclable parts & long unit life



Aficio[®]IS200e

Specifications

6		GENERAL	
Scanner type:	Flatbed colour image scanner with ARDF		
Memory:	128 MB		
Resolution:	Optical:	600 dpi	
	Output:	100/200/300/400/600 dpi	
		(75 - 1,200 dpi/1 dot step)	
Bit depth:	24 bits/pixel		
Scanning speed:	Black and white:	33 ppm ¹	
	Full colour:	17 ppm ¹	
First copy speed:	Dependent on target printer		
Continuous print speed:	Dependent on target printer		
Multiple copy:	Up to 999		
Original size:	Maximum A4		
ARDF capacity:	50 sheets		
ARDF document weight:	Simplex/duplex:	60 - 105 g/m ²	
Density control:	7 levels		
Preset scaling:	7 reductions & 5 enlargements		
Zoom:	25 - 400% (in 1% steps)		
Warm up time:	Less than 45 seconds		
Dimensions			
(W x D x H):	448 x 486.2 x 194.3 mm		
Weight:	Less than 13.9 kg		
Power source:	220 - 240 V, 50/60	Hz	
Power consumption:	Maximum:	Less than 47 W	
USB keyboard:	Standard		

		E-IMAIL
Scanning speed:	Black and white:	33 ppm ¹
	Full colour:	11 ppm ¹
Communication		
protocols:	SMTP, POP3	
Supported file formats:	Black and white: TI	FF, Multipage TIFF, PDF
	Greyscale/full colour:	TIFF, Multipage TIFF,
	-	PDF, JPEG
Data compression:	JPEG, MH, MMR	

OPTIONS

-

External option:

¹ A4, Portrait, 200 dpi.

For availability of models, optional apparatus and software, please consult your local Ricoh supplier.

Rack

(NETWORK) CONNECTIVITY

Interface:	Standard:	Ethernet 10 base-T/100 base-TX
		USB 2.0
Driver:	TWAIN	
Protocols:	TCP/IP	
Network management:	SNMP	



IS09001: 2000 certified IS014001 certified

Ricoh believes in conserving the earth's precious natural resources. This brochure is printed on environmentally friendly paper: 50% recycled fibres, 50% chlorine free bleached pulp.

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.

Copyright © 2005 Ricoh Europe B.V. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe B.V.

RICOH EUROPE B.V.

For more information, please contact:

P.O. Box 114, 1180 AC Amstelveen, The Netherlands. Phone: +31 (0)20-5474111 Fax: +31 (0)20-6418601

www.ricoh-europe.com

