

SX-2000WG Wireless/Wired Hi-Speed USB Device Server 11g

! New - Print Server Functionality !

Provides instant Wi-Fi access to your Hi-Speed USB Devices



Ultimate Freedom to Remotely Use Your USB Devices


Features & benefits:

Instantly Convert Your USB Devices to a Shared Resource on Your 802.11g/b WLAN. The Hi-Speed Wireless USB Device Server provides 802.11g/b wireless or 10/100 Base-TX wired LAN connectivity for USB 2.0 Hi-speed devices. It instantly converts the connected device(s) for access anywhere on your wireless LAN. Now you can enjoy the convenience and freedom of remotely using multifunction printers, scanners, storage devices, or various other USB devices*. It brings flexibility and productivity of USB devices to a whole new level.

Easy Wireless Configuration with Microsoft Windows Connect Now. The SX-2000WG supports Microsoft Windows "Connect Now"**. It simplifies the complicated wireless LAN initial configuration. The process is very easy. Use the Windows XP Connect Now wizard, save the results on your USB flashthumb drive, then insert the thumb drive to the device server. The server creates the wireless configuration automatically in a few minutes. Alternatively, the Hi-Speed Wireless USB Device Server can be configured over a wired LAN connection.

Print server functionality. Turn your SX-2000WG USB device server easily into a true print server. Simply print from your application like you normally do. The bundled utility SX Virtual Link can be set to connect to the printer and send the job automatically, while still ensuring that the printer will become available for another user's print job or functions (e.g. scanning or storing with AIO printer).

Networking example:



silex SX Virtual Link allows you to see what devices are available across your LAN on a real time basis. You can also set your individual USB device application software to be launched automatically when the device is connected to your PC.



Technical Specifications:

! Macintosh compatible !

Supported Operating Systems	Windows 2000/XP, MacOS 10.2.7 or higher
Supported protocols	TCP/IP
Printer interface	USB 2.0 Hi-Speed (A-Type) x 1
Network interface	IEEE802.11b/g wireless (1M/2M/5.5M/11M/24M/36M/54M Auto-detection) 10 Base-T / 100 Base-TX (Auto-detection)
Wireless Security	WEP (64/128), SSID, WPA-PSK (TKIP/AES)
Total number of USB interface connections	15 (including USB Hub)
Configuration	Web browser, Quick Setup, telnet
Languages (Installation utility)	English, German, French, Italian, Spanish, Portuguese, Chinese, Japanese
Power supply	Universal AC adapter (AC100 - 240V)
Power consumption	9W (DC5V 1.8A)
Warranty	2 years
Regulatory approvals	FCC, CE, VCCI Class B
Package Contents	SX-2000WG, Setup Guide, AC adapter, Warranty booklet, CD-ROM with configuration utilities and PDF manuals, Antenna, Stand
Dimensions	36 x 140 x 143 mm (excl. Antenna & Stand) 1.4 x 4.5 x 5.4 in (excl. Antenna & Stand)
Weight	172g / 5.6 oz (excl. Antenna & Stand)

*Does not support USB devices using isochronous data transfer over USB, such as web cameras and speakers. Some USB devices may not be supported depending on the USB device driver specification. Please visit our web site or contact silex technical support center for the latest compatibility information.

**Supported only with Windows XP Service Pack2 or greater.

silex technology is a registered trademark of silex technology, Inc. Other product or brand names may be registered trademarks or trademarks of their respective owners. Technical information and specifications are subject to change without notice. ©2006 silex technology europe GmbH All rights reserved.

silex global sales & support locations



Europe Office
silex technology europe GmbH
+49-2159-67500
German toll free 0800-7453938
www.silexeurope.com
contact@silexeurope.com

US Office
silex technology america, Inc
+1-801-748-1199
US toll free 866-765-8761
www.silexamerica.com
contact@silexamerica.com

China Office
silex technology beijing, Inc.
+86-10-6440-3958
www.silex.com.cn
contact@silex.com.cn

Corporate Headquarters
silex technology, Inc.
+81-6-6730-3751
www.silex.jp
support@silex.jp