



**INFORMATION
SECURITY**


INTIMUS 60

IN THE OFFICE

- ▶ Low noise level
- ▶ Integrated Auto Reverse Function for easy removal of paper jams
- ▶ Illuminated indicators for stand-by, basket full, door open and paper jam
- ▶ Sealed dust-free design with robust wooden cabinet
- ▶ Mounted on rollers for flexible use



CP7 model



CPNI
Centre for the Protection
of National Infrastructure

60 CP4 | CP5 | CP7



60 SP2 | CP4 | CP5

EcoLogic










I-control

DLS

Silentec

PROFESSIONAL DATA SHREDDERS

– a Synthesis of Technology, Performance and Design. All intimus® shredders are built from durable, precision engineered, high-performance components, designed for a long life of high volume usage. The product range covers all requirements from day-to-day office use up to High Security Shredding machines in use for destruction of classified material in line with all current legal requirements such as DIN 66399 or NSA 02/01. intimus® shredders carry various features which make them unique in user-friendliness and operating efficiency.

SPECIFICATION			
Model	60 SP2	60 CP4	60 CP5
Cutting size	3,8 mm	3,8 x 30 mm	1,9 x 15 mm
Bin volume	60 l	60 l	60 l
Suitable for	5+ persons	5+ persons	5+ persons
Security Level (DIN 66 399)	P-2 / O-1 / T-2 ⁺	P-4 / F-1 / O-1 / T-2 ⁺	P-5 / F-2 / O-1 / T-2 ⁺
Shredding capacity*	22-24 (sheets) 70 g/m ²	13-15 (sheets) 70 g/m ²	10-11 (sheets) 70 g/m ²
	19-21 (sheets) 80 g/m ²	11-13 (sheets) 80 g/m ²	9-10 (sheets) 80 g/m ²
Cutting speed	8 mm/s	7 mm/s	7 mm/s
Throughput** (sheets/min)	388 (sheets/min) 70 g/m ²	291 (sheets/min) 70 g/m ²	210 (sheets/min) 70 g/m ²
	339 (sheets/min) 80 g/m ²	259 (sheets/min) 80 g/m ²	178 (sheets/min) 80 g/m ²
Shreddert auch	  	  	  
Dimensions (W/D/H)	45 x 39 x 77 cm	45 x 39 x 77 cm	45 x 39 x 77 cm

*only floppy disks / ID cards

* based on 70 g/m² A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply. It may be lower if the voltage is below the rated/nominal value.

** theoretical average performance paper/min

HIGH SECURITY SHREDDER

SPECIFICATION	
Model	60 CP7
Cutting size	0,8 x 4,5 mm
Bin volume	60 l
Suitable for	5+ persons
Security Level (DIN 66 399)	P-7 / F-3
Shredding capacity*	5-6 (sheets) 70 g/m ²
	4-5 (sheets) 80 g/m ²
Cutting speed	8 mm/s
Throughput** (sheets/min)	97 (sheets/min) 70 g/m ²
	81 (sheets/min) 80 g/m ²
Dimensions (W/D/H)	45 x 39 x 77 cm

*NSA approved (NSA / CSS EPL 02/01)

* based on 70 g/m² A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply. It may be lower if the voltage is below the rated/nominal value.

** theoretical average performance paper/min