

## IRIS IRI Scan Pro 5(459035)

IRIS IRI Scan Pro 5 - Document scanner - Duplex - Legal - 600 dpi - up to 23 ppm (mono) / up to 17 ppm (colour) - ADF (20 pages) - up to 1000 scans per day - USB 2.0



Perfect integration and advanced document management with cloud platforms and integrated DMS:MS SharePoint,Therefore,Dropbox,etc. Scanning of notes,contracts,letters,correspondence,and more,directly into PDF or MS Office format. Ideal for duplex scanning of ID cards,insurance cards/Carte Vitale,and all other laminated cards (designated slot).

## Key Selling Points

- Smart button
- Extensive export options
- Scans your documents
- Scans your laminated cards
- Scans your business cards
- Scans your invoices and receipts

## Product Features

- Smart button
- Option of configuring up to 9 smart tasks associated with the scanner's buttons (scan to PDF,scan to Dropbox,FTP,etc.).
- Extensive export options
- Perfect integration and advanced document management with cloud platforms and integrated DMS:MS SharePoint,Therefore,Dropbox,etc.
- Scans your documents
- Scanning of notes,contracts,letters,correspondence,and more,directly into PDF or MS Office format.
- Scans your laminated cards
- Ideal for duplex scanning of ID cards,insurance cards/Carte Vitale,and all other laminated cards (designated slot).
- Scans your business cards
- One-step scanning and exporting of business cards (10 cards at a time) to MS Outlook,Salesforce,and Microsoft Dynamics CRM.
- Scans your invoices and receipts
- Quick and accurate scanning of your invoices and receipts ("Long-paper"mode: up to 3m/118") for efficient expense management.

## Main Specifications

Product Description	IRIS IRI Scan Pro 5 - document scanner - desktop - USB 2.0
Device Type	Document scanner - desktop
Interface Type	USB 2.0
Scan Element Type	Contact Image Sensor (CIS)
Max Supported Document Size	Legal (216 x 356 mm)
Input Type	Colour
Grayscale / Color Depth (External)	24-bit (16.7 million colours)
Optical Resolution	600 dpi
Max Document Scan Speed	23 ppm (mono) / 17 ppm (colour)
Max Document Size	216 mm x 3000 mm
Automatic Duplexing	Yes
Supported Document Type	Plain paper,card scanner,plastic card
Document Feeder Type	Automatic
Document Storage Capacity	20 pages
Duty Cycle	1000 scans per day

Power	AC 120/230 V (50/60 Hz)
System Requirements	Apple MacOS X 10.9 or later,Microsoft Windows 7 / 8 / 10
Dimensions (WxDxH)	29.9 cm x 10.4 cm x 7.4 cm
Weight	1.4 kg
Environmental Standards	ENERGY STAR Qualified

## Extended Specification

### General

Type	Document scanner - desktop
Interface Type	USB 2.0
Max Supported Document Size	Legal (216 x 356 mm)

### Scanner

Input Type	Colour
Colour Depth (External)	24-bit (16.7 million colours)
Optical Resolution	600 dpi
Automatic Duplexing	Yes
Scan Element Type	Contact Image Sensor (CIS)
Max Document Scan Speed B/W	23 ppm
Max Document Scan Speed Colour	17 ppm
Duty Cycle	1000 scans per day
Scanner Speed Details	23 ppm - black & white - A4 - 200 dpi 46 ipm - duplex - black & white - A4 - 200 dpi 17 ppm - colour - A4 - 300 dpi 34 ipm - duplex - colour - A4 - 300 dpi
Scanner Features	Ultrasonic Double Feed Detection,Ultrasonic paper jam detection
Compliant Standards	TWAIN,WIA

### Media Handling

Max Document Size	216 mm x 3000 mm
Supported Document Type	Plain paper,card scanner,plastic card
Document Feeder Type	Automatic
Document Storage Capacity	20 pages

### Expansion / Connectivity

Interfaces	USB 2.0
------------	---------

### Miscellaneous

Cables Included	1 x USB cable
Environmental Standards	
ENERGY STAR Certified	Yes

## Power

Power Device	External power adapter
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational (Standby)	24 Watt
Power Consumption Stand by	7.5 Watt
Power Consumption Sleep	2.5 Watt

## Software / System Requirements

Software Included	IRISCompressor Pro,Readiris 15 Corporate,Cardiris Corporate 5.7
OS Required	Apple MacOS X 10.9 or later,Microsoft Windows 7 / 8 / 10
System Requirements Details	Windows 7/8/10 - Core 2 Duo HD 1.5 GB MacOS X 10.9 or later - HD 260 MB

## Dimensions &Weight

Width	29.9 cm
Depth	10.4 cm
Height	7.4 cm
Weight	1.4 kg

## Environmental Parameters

Min Operating Temperature	10 °C
Max Operating Temperature	35 °C
Humidity Range Operating	10 - 85%

Product data is provided by CNET,we do not warrant the accuracy and completeness of the material contained in this data sheet