

Laphbuthbuter Copularion

Bookeye

A2 Overhead Scanners



39 TENTER ROAD, MOULTON PARK, NORTHAMPTON, NN3 6AX.

Telephone: (01604) 490300. Facsimile: (01604) 490330. Internet: www.covergold.co.uk E-mail: sales@covergold.co.uk High quality production systems





Bookeye® GS400 R2 Bookeye® Color R2

With its **Bookeye®** overhead scanners, ImageWare Components established in 1995 is amongst the leading suppliers in the field of scanning historic books, valuable manuscripts, stapled documents, color maps, newspapers and drawings without causing damage to the originals.

Requests from libraries and archives, service providers, industry and authorities are all incorporated into further development of the solutions due to close and intensive contact with customers. In both development and production, ImageWare Components builds on traditional, high-quality technologies and experience "Quality Made in Germany".


COVERGOLD

39 TENTER ROAD, MOULTON PARK, NORTHAMPTON, NN3 6AX.

Telephone: (01604) 490300. Facsimile: (01604) 490330. Internet: www.covergold.co.uk E-mail: sales@covergold.co.uk











39 TENTER ROAD, MOULTON PARK, NORTHAMPTON, NN3 6AX.

Telephone: (01604) 490300. Facsimile: (01604) 490330. Internet: www.covergold.co.uk E-mail: sales@covergold.co.uk

BOOKEYE® SCANNERS

The furniture designed specially for Bookeye® combines elegance and modernity with ergonomic requirements on the scanning workstation. Sensibly integrated lockable compartments and storage areas enable the PC, keyboard and cables to be hidden securely from view. Mando furniture fits in harmoniously with existing fixtures and fittings. In addition to use in public facilities it has proven itself time and again in the self-service sector.

FEATURES

- oversize originals larger than A2 format
- precise Rodenstock scanning lens
- 35 mega-pixel resolution per color channel
- auto focus / automatic format recognition
- UV- and IR-free cold-light lamps
- high service life of lamps
- BCS-2® capturing software with the following functions:
 - page separation
 - masking
 - cutting
 - deskew / despeckle
 - bookfold correction
 - E-mail connection
 - PDF conversion
 - Web Publishing
 - integrated OCR
- output formats:
 - TIFF G4, JPEG, PNG, TIFF, PDF, multipage TIFF





TECHNICAL DATA

	Bookeye® GS400 N2*	Bookeye® GS400 R2	Bookeye® Color N2	Bookeye® Color R2
article number	BE2-SYSGS-N2	BE2-SYSGS-R2	BE2-SYSCL-N2	BE2-SYSCL-R2
	grayscale	grayscale		
Equipment data				
dimensions H x W x D in mm	880 x 685 x 673	880 x 1,239 x 673	880 x 685 x 673	880 x 1,239 x 673
weight in kg (including packaging)	25 (38)	31 (47)	25 (38)	31 (47)
electrical connection				
 voltage 	110-230 V	110-230 V	110-230 V	110-230 V
 frequency 	50-60 Hz	50-60 Hz	50-60 Hz	50-60 Hz
• output	max. 250 VA	max. 400 VA	max. 250 VA	max. 400 VA
 lamps 	UV- and IR-free cold- light lamps approx. 3,000 LUX	UV- and IR-free cold-light lamps approx. 3,800 LUX	UV- and IR-free cold-light lamps approx. 3,000 LUX	UV- and IR-free cold-light lamps approx. 3,800 LUX
Format of originals				
maximum W x D in mm				
maximum W x D in mm	630 x 420	630 x 420	630 x 420	630 x 420
maximum W x D in mm	630 x 420 (> A2)	630 x 420 (> A2)	630 x 420 (> A2)	630 x 420 (> A2)
maximum W x D in mm Scanning				
Scanning				
Scanning resolution in dpi	(> A2)	(> A2)	(> A2) 200, 300 , 400, 600	(> A2) 200, 300 , 400, 600
Scanning resolution in dpi	(> A2)	(> A2)	(> A2) 200, 300 , 400, 600	(> A2) 200, 300 , 400, 600
Scanning resolution in dpi scanning time in sec	(> A2) 200, 300, 400 , 600	(> A2) 200, 300, 400 , 600	(> A2) 200, 300, 400, 600 (GS-Scan: 400 dpi)	(> A2) 200, 300 , 400, 600 (GS-Scan: 4 00 dpi)
Scanning resolution in dpi scanning time in sec • A4 portrait	(> A2) 200, 300, 400 , 600	(> A2) 200, 300, 400 , 600	(> A2) 200, 300, 400, 600 (GS-Scan: 400 dpi) 2	(> A2) 200, 300, 400, 600 (GS-Scan: 400 dpi) 2
Scanning resolution in dpi scanning time in sec • A4 portrait • A3 landscape	(> A2) 200, 300, 400 , 600 2 2,2	(> A2) 200, 300, 400 , 600 2 2,2	(> A2) 200, 300 , 400, 600 (GS-Scan: 400 dpı) 2 2,2	(> A2) 200, 300, 400, 600 (GS-Scan: 400 dpi) 2 2,2
Scanning resolution in dpi scanning time in sec	(> A2) 200, 300, 400 , 600 2 2,2 3 1,024 / 256	(> A2) 200, 300, 400 , 600 2 2,2 3 1,024 / 256	(> A2) 200, 300, 400, 600 (GS-Scan: 400 dpi) 2 2,2 3	(> A2) 200, 300, 400, 600 (GS-Scan: 400 dpi) 2 2,2 3

Accessories	Article number
additional keyboard	BE-KB-001
newspaper smoother	BE-MZ-01
foot switch	BE-FS-01
copy card reader	on request
mando furniture	MADR-BI-RAL-9006

* = also available as Bookeye® Copier

COVERGOLD

39 TENTER ROAD, MOULTON PARK, NORTHAMPTON, NN3 6AX.

Telephone: (01604) 490300. Facsimile: (01604) 490330. Internet: www.covergold.co.uk E-mail: sales@covergold.co.uk