

intimus[®] 280

A MARTIN YALE BRAND



Operation

- On / off control automatic, via light barrier
- Cutout by auto Stop and Reverse button when overloaded

Equipment

- "Ready" indicator
- LEDs for paper jam, bin full or catchbasket removed
- Opening for general paper waste
- Use of changeable, environmentally acceptable PE-bags

Technical features

- Cutters made of solid, hardened special steel



**6 mm
Strips**

Cutting mechanism is insensitive to

Paper clips	yes
CDs / DVDs	no
3.5" floppy disks	no
Credit cards	yes
Passports	no

Performances intimus 280

Size of shreds	6 mm
Shredding capacity*	18 - 20 sheets
Security level DIN 32757	level 2
Working width	235 mm
Cutting speed	0.12 m/sec.
Catchbasket / Volume	35 l
Noise level	52 dB(A)
Dimensions W / D / H	37/29/55 cm
Weight	11 kg

* based on 70g/m² DIN A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply.
Technical changes and colour variances reserved. 1/2004



intimus[®] 280

A MARTIN YALE BRAND



Operation

- On / off control automatic, via light barrier
- Cutout by auto Stop and Reverse button when overloaded

Equipment

- "Ready" indicator
- LEDs for paper jam, bin full or catchbasket removed
- Opening for general paper waste
- Use of changeable, environmentally acceptable PE-bags

Technical features

- Cutters made of solid, hardened special steel



**4 mm
Strips**

Cutting mechanism is insensitive to

Paper clips	yes
CDs / DVDs	no
3.5" floppy disks	no
Credit cards	yes
Passports	no

Performances intimus 280

Size of shreds	4 mm
Shredding capacity*	14 - 16 sheets
Security level DIN 32757	level 2
Working width	235 mm
Cutting speed	0.12 m/sec.
Catchbasket / Volume	35 l
Noise level	52 dB(A)
Dimensions W / D / H	37/29/55 cm
Weight	11 kg

* based on 70g/m² DIN A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply.
Technical changes and colour variances reserved. 1/2004



intimus[®] 280 CC

A MARTIN YALE BRAND



**4 x 28 mm
Cross Cut**

Operation

- On / off control automatic, via light barrier
- Cutout by auto Stop and Reverse button when overloaded

Equipment

- "Ready" indicator
- LEDs for paper jam, bin full or catchbasket removed
- Opening for general paper waste
- Use of changeable, environmentally acceptable PE-bags

Technical features

- Cutters made of solid, hardened special steel

Cutting mechanism is insensitive to

Paper clips	yes
CDs / DVDs	no
3.5" floppy disks	no
Credit cards	no
Passports	no



Performances intimus 280 CC

Size of shreds	4 x 28 mm
Shredding capacity*	9 - 11 sheets
Security level DIN 32757	level 3
Working width	235 mm
Cutting speed	0.12 m/sec.
Catchbasket / Volume	35 l
Noise level	52 dB(A)
Dimensions W / D / H	37/29/55 cm
Weight	11 kg

* based on 70g/m² DIN A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply.
Technical changes and colour variances reserved. 1/2004