



**5.8 mm  
Strips**

### Cutting mechanism is insensitive to

Paper clips	yes
CDs / DVDs	yes
3.5" floppy disks	yes
Credit cards	yes
Passports	no



### Performances intimus 302

Size of shreds	5.8 mm
Shredding capacity*	25 - 27 sheets
Security level DIN 32757	level 2
Working width	240 mm
Cutting speed	0.10 m/sec.
Catchbasket / Volume	32 l
Noise level	52 dB(A)
Dimensions W / D / H	39/28/64 cm
Weight	18.5 kg

\* based on 70g/m<sup>2</sup> DIN A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply.

Technical changes and colour variances reserved. 1/2004



**3.8 mm  
Strips**

### Cutting mechanism is insensitive to

Paper clips	yes
CDs / DVDs	yes
3.5" floppy disks	no
Credit cards	yes
Passports	no



### Performances intimus 302

Size of shreds	3.8 mm
Shredding capacity*	19 - 21 sheets
Security level DIN 32757	level 2
Working width	240 mm
Cutting speed	0.10 m/sec.
Catchbasket / Volume	32 l
Noise level	52 dB(A)
Dimensions W / D / H	39/28/64 cm
Weight	18.5 kg

\* based on 70g/m<sup>2</sup> DIN A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply.

Technical changes and colour variances reserved. 1/2004



1.9 mm  
Strips

### Cutting mechanism is insensitive to

Paper clips	yes
CDs / DVDs	no
3.5" floppy disks	no
Credit cards	no
Passports	no



### Performances intimus 302

Size of shreds	1.9 mm
Shredding capacity*	12 - 14 sheets
Security level DIN 32757	level 3
Working width	240 mm
Cutting speed	0.10 m/sec.
Catchbasket / volume	32 l
Noise level	52 dB(A)
Dimensions W / D / H	39/28/64 cm
Weight	18.5 kg

\* based on 70g/m<sup>2</sup> DIN A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply.

Technical changes and colour variances reserved. 1/2004



**3.8 x 30 mm**  
**Cross Cut**

### Cutting mechanism is insensitive to

Paper clips	yes
CDs / DVDs	no
3.5" floppy disks	no
Credit cards	yes
Passports	no



### Performances intimus 302 CC

Size of shreds	3.8 x 30 mm
Shredding capacity*	15 - 17 sheets
Security level DIN 32757	level 3
Working width	240 mm
Cutting speed	0.10 m/sec.
Catchbasket / Volume	32 l
Noise level	52 dB(A)
Dimensions W / D / H	39/28/64 cm
Weight	20 kg

\* based on 70g/m<sup>2</sup> DIN A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply.

Technical changes and colour variances reserved. 1/2004



**1.9 x 15 mm  
Cross Cut**

### Cutting mechanism is insensitive to

Paper clips	yes
CDs / DVDs	no
3.5" floppy disks	no
Credit cards	no
Passports	no



### Operation

- On / off control automatic, via light barrier
- Cutout by auto Stop and Reverse button when overloaded

### Equipment

- "Ready" indicator
- LEDs for paper jam, bin full or door open
- Opening for general paper waste
- Use of changeable, environmentally acceptable PE-bags

### Technical features

- Electronics controlled by micro-controller
- Cutters made of solid, hardened special steel

### Performances intimus 302 CC

Size of shreds	1.9 x 15 mm
Shredding capacity*	10 - 11 sheets
Security level DIN 32757	level 4
Working width	240 mm
Cutting speed	0.10 m/sec.
Catchbasket / Volume	32 l
Noise level	52 dB(A)
Dimensions W / D / H	39/28/64 cm
Weight	20 kg

\* based on 70g/m² DIN A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply.

Technical changes and colour variances reserved. 1/2004



**0.8 x 12 mm  
Cross Cut**

## Cutting mechanism is insensitive to

Paper clips	no
CDs / DVDs	no
3.5" floppy disks	no
Credit cards	no
Passports	no



## Operation

- On / off control automatic, via light barrier
- Cutout by auto Stop and Reverse button when overloaded

## Equipment

- "Ready" indicator
- LEDs for paper jam, bin full or door open
- Opening for general paper waste
- Use of changeable, environmentally acceptable PE-bags

## Technical features

- Electronics controlled by micro-controller
- Cutters made of solid, hardened special steel

## Performances intimus 302 HS

Size of shreds	0.8 x 12 mm
Shredding capacity*	5 - 6 sheets
Security level DIN 32757	level 5
Working width	240 mm
Cutting speed	0.10 m/sec.
Catchbasket / Volume	32 l
Noise level	52 dB(A)
Dimensions W / D / H	39/28/64 cm
Weight	18.5kg

\* based on 70g/m<sup>2</sup> DIN A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient power supply.

Technical changes and colour variances reserved. 1/2004