

HP ScanJet Pro 3000 s3 Sheet-feed Scanner



Put paper stacks to work for your office – from paper to digital with ease

Manage projects and workflows quickly and confidently. Easily handle mixed media, and get one-pass duplex scanning with speeds up to 35 ppm/70 ipm.¹ Scan to mobile devices for on-the-go control.² Recommended for 3,500 pages per day.



Fast scanning. Superb results. Every page.

- Produce scans at up to 35 ppm/70 ipm¹ with two-sided scanning that captures both sides at once.
- Capture every page easily – even stacks of mixed media – with HP EveryPage and an ultrasonic sensor.³
- Free up space for work. This HP ScanJet Pro is small and slim – a modern design perfect for the desktop.
- Handle paper from 40 gsm (11 lb.) to 413 gsm (110 lb.) weight and up to 21.6 x 309.9 cm (8.5 x 122 inches).

Optimise workflows with one-touch scanning

- Streamline routine work with one-touch scanning – create one-button, custom settings for recurring scan jobs.
- Scan images directly into applications with included and full-featured TWAIN and ISIS®.
- Easily transfer scans into editable text, secure PDF files, and more file types, using built-in OCR.
- Quickly share or archive scans directly to popular cloud destinations with HP Scan software.

Capture business documents like a pro

- Define scan profiles for common document types, and scan to multiple destinations with HP Scan software.
- Scan directly to mobile devices with the HP JetAdvantage Capture App, using the optional wireless accessory, and then edit and save files.²
- Capture and organise documents, business cards, and other file types with feature-rich software.

Accessories and services

Accessories	L2754A HP ScanJet Pro 3000 s3 Roller Replacement Kit
	L2761A HP ScanJet Wireless Adapter 100 Accessory
Service and support	U9JQ3E HP 3 years Next business day Exchange ScanJet Pro 3xxx Service U9JR5PE HP 1 year Post Warranty Next business day Exchange ScanJet Pro 3xxx Service U9JR2E HP 3 years Next business day Onsite Exchange ScanJet Pro 3xxx Service U9JR6PE HP 1 year Post Warranty Next business day Onsite Exchange ScanJet Pro 3xxx Service U9JR0E HP 3 years Standard Exchange ScanJet Pro 3xxx Service U9JR4PE HP 1 year Post Warranty Standard Exchange ScanJet Pro 3xxx Service U9JR3E HP 3 years Return ScanJet Pro 3xxx Service U9JR7PE HP 1 year Post Warranty Return ScanJet Pro 3xxx Service (U9JR1E, U9JR5PE: all except Baltics, RSA, Turkey. U9JR2E, U9JR6PE: France, Spain, Portugal, Austria, Switzerland, Finland, Norway, Sweden, Belgium, Netherlands, Poland, Russia, Greece. U9JR0E, U9JR4PE: Baltics, RSA. U9JR3E, U9JR7PE: Turkey)

Technical specifications

Control Panel	Scan button, Cancel button, Power button with a LED and a LED for Error indication
Scanner specifications	Scanner type: Sheetfed; Scan technology: CMOS CIS; Scan input modes: One default scan mode on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA; Twain version: TWAIN version 2.1; Colour scanning: Yes; Output resolution dpi settings: 75, 150, 200, 240, 300, 400, 500, 600 ppi; Image scaling or enlargement range: Will not perform any arbitrary scaling
Scan speed³	Up to 35 ppm/70 ipm
Scan resolution	Optical: Up to 600 dpi (colour and monochrome, sheet-feed); Hardware: Up to 600 dpi (colour and monochrome, sheet-feed)
Scan file format	For text and images: PDF, JPEG, PNG, BMP, TIFF, TXT (Text), RTF (Rich Text) and searchable PDF
Scanner advanced features	Auto colour detect; Auto crop; Auto exposure; Auto orientation; OCR; Edge removal; Background cleanup; Remove hole; Colour drop out; Straighten the page; Scan to cloud; Scan to email; PDF security; Misfeed detection advance setting
Grayscale Levels/Bit Depth	256/24-bits external/48-bits internal
Duty cycle	Recommended for 3,500 pages per day
Auto document feeder capacity	50 sheets
Connectivity	Standard: Hi-Speed USB 2.0 and USB 3.0; Optional: USB 2.0 port for Wi-Fi accessory
External I/O Ports	1 x USB 3.0 and 1 x USB 2.0 port
Media Handling	
Media types	Cut sheet paper, printed paper (laser and ink), pre-punched paper, bank checks, business cards, freight bills, carbonless forms, previously stapled media with staple removed
Media size (ADF)	ISO A4: 210 x 297 mm; ISO A5: 148 x 210 mm; ISO A6: 105 x 148 mm; ISO A7: 74 x 104 mm; ISO A8: 52 x 74 mm; ISO B5: 176 x 250 mm; JIS B5: 182 x 257 mm
Media weight (ADF)	40 to 413 g/m ²
Compatible operating systems	OS X El Capitan 10.11; Microsoft® Windows® 10, 8.1, 8, 7: 32-bit/64-bit
Minimum system requirements	PC: Microsoft® Windows® 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer; Windows Vista®: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer 8
Software Included	HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Scanner Tools Utility, Nuance PaperPort (Win only), I.R.I.S. Readiris OCR, I.R.I.S. Cardiris (Win only), EMC ISIS (Win only)
Dimensions and weight	
Product dimensions (W x D x H)	Minimum¹: 310 x 198 x 190 mm; Maximum: 342 x 310 x 319 mm
Package dimensions (W x D x H)	397 x 248 x 303 mm
Product weight	3.4 kg
Package weight	5.0 kg
Operating environment	Temperature: 10 to 35°C; Humidity: 15 to 80% RH (non-condensing)
Storage	Temperature: -40 to 60°C
Power	Requirements: Input Voltage: 90 to 264 VAC, 50/60 Hz; Consumption²: 4.2 watts (ready), 0.7 watts (sleep), 0.1 watts (off), 0.1 watts (auto-off); Energy star: Yes
Certifications	IEC 60950-1:2005 +A1 +A11 +A12 and all applicable amendments; CSA/UL 60950-1, 2nd edition (2007); EN 60950-1:2006 +A11 +A1 +A12 +A2; EAC safety; European Union CE; Kenya PVOC; Kuwait TER; Nigeria SON; Saudi Arabia SASO; South Africa NRCS; Ukraine safety approval; Electromagnetic compatibility: Class B Emissions; CISPR 22:2008 (International); European Union EMC Directive 2004/108/EC, EN 55022:2010 (CE mark); EAC EMC Certificate; Ukraine EMC approval; EN 61000-3-2:2014 (harmonics); EN 61000-3-3:2013 (flicker); Immunity CISPR 24:2010, EN 50024:2010
What's in the box	L2753A HP ScanJet Pro 3000 s3 sheet-feed scanner engine; Installation guide; Support flyer; Warranty guide; 2 CDs; Power cord; USB cable; Power adapter
Warranty	One-year bench commercial warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to http://www.hp.com/support to learn about HP service and support options in your region.

Footnotes

¹ Scan speed measured at 300 dpi (black-and-white, greyscale, and colour). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

² Scanning from a mobile device requires the HP ScanJet Wireless Adaptor 100 (L2761A), which must be purchased separately, and the HP JetAdvantage Capture App. Download the app at hp.com/go/documentmanagement. Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections. Wi-Fi Direct[®] scanning requires the mobile device to be connected directly to the Wi-Fi[®] network of the scanner. Wi-Fi and Wi-Fi Direct are registered trademarks of Wi-Fi Alliance[®].

³ HP EveryPage is referred to as HP Precision Feed on HP ScanJet devices introduced prior to May 2013.

Technical specifications disclaimers

¹ With input and output trays folded and covers closed.

² Power requirements are based on the country/region where the scanner is sold. Do not convert operating voltages. This will damage the scanner and void the product warranty.

³ Actual speeds may vary depending on scan resolution, connectivity type, computer performance and application software.



The product could differ from the images shown. © Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

