# WorkForce DS-530N

DATASHEET





# Intelligent sheetfed document scanner with network capability, transforming workflows with smart features for capturing a wide range of documents.

With powerful media handling and innovative smart features to ensure a high level of data integrity, the WorkForce DS-530N is geared towards highly-efficient and simple integration into an organisation's workflow. With a 50-page ADF and the ability to scan at up to 35ppm/70ipm, it offers a wide range of media handling options that enable you to rapidly capture, index, store and share business documents.

# Intelligent features improve efficiency, accuracy and data reliability

With an industry-first slow mode<sup>1</sup> for scanning crumpled or fragile documents, the ability to scan challenging media has never been easier. The Active Separation Roller System prevents tedious document double feeds ensuring every piece of paper gets scanned and the Double Feed Detection Skip (DFDS) means you can scan difficult media like envelopes or documents with post-it notes. Auto Scan Mode enables the processing of a vast number of documents as manageable amounts, enabling them to be scanned as one file.

# Highly versatile

The optional flatbed scanner conversion kit allows effective document processing from stamps to passports and books. Single-pass double-sided scanning ensures rapid document processing, while it's possible to scan a versatile array of media such as paper as thin as 27gsm, or thick card at 413gsm. The A3 carrier sheet speeds up the process by automatically stitching larger documents back together digitally.

# Flexible connectivity

High-speed USB 3.0 with TWAIN and ISIS drivers for enhanced compatibility with Document Management Systems.

# Image enhancement and document management software

Epson Scan 2.0 software makes it easy to edit images with features such as deskew and auto rotate, while Document Capture Pro is the easy to use solution for capturing and storing electronic documents at the touch of a button.

# **KEY FEATURES**

- An industry first with Slow Mode<sup>1</sup>
  Scan crumpled, long or fragile documents without increasing file sizes
- Active Separation Roller System Prevents tedious double feeds ensuring every piece of paper gets scanned
- Optional flatbed scanner conversion kit

Enables scanning of items from stamps to passports, books and more

- Auto Scan Mode
  Quickly process physical documents in
  manageable amounts.
- Network Sharing

Integrate this network-ready model with push scan and pre-defined job profiles.



# PRODUCT SPECIFICATIONS

TECHNOLOGY		
Scanner type	Sheetfed Scanner	
canning Resolution 600 dpi x 600 dpi (Horizontal x Vertical)		
ADF Minimum Document Size 50.8 mm x 50.8 mm (Horizontal x Vertical)		
ADF Maximum Document Siz	e215.9 mm x 6,096 mm (Horizontal x Vertical)	
Color Depth	Input: 24 Bits Color	
Ultrasonic Sensor	Yes	
SCANNER		
Light Source	ReadyScan LED technology	
SCAN SPEED		
Scanning Speed	Monochrome: 35 Pages/min - Colour: 35 Pages/min measured with Size: A4 , Resolution: 200	
	300 dpi, Monochrome: 70 image/min - Colour: 70 image/min measured with Size: A4,	
	Resolution: 200 / 300 dpi	
PAPER / MEDIA HANDLING		
ADF Paper Setting Capacity	50 Sheets	
Reliability Daily Duty Cycle	4,000 Pages	
Duplex Scan	Yes	
ADF Paper weight	Auto loading: 27 - 413 g/m <sup>2</sup>	
Automatic Document Feeder		
SCANNING FEATURES		
Features	Skip blank page, A3 stitching, Punch holes removal, Automatic de-skew, Automatic multi-	
reatures	document recognition, Dual Image Output (Windows only), Auto-rotation, Text enhancement,	
	Unsharp Mask (USM), Descreening, Automatic Folder Creation, Barcode Recognition, Full	
	Zonal OCR	
Output formata		
Output formats	JPEG, TIFF, multi-TIFF, PDF, searchable PDF, secure PDF, PDF/A	
File compression features Advanced document	Hardware JPEG compression, TIFF Compression (JPEG(7), CITT G4, LZW), PDF Compression	
integration	E-mail, FTP, Microsoft SharePoint®, Print, Web folders, Network folders	
00000000000		
	USB 3.0	
Interfaces		
Network Interface Panel /	Optional	
Unit Ethermet eettinge		
Ethernet settings	10BASE-T / 100BASE-TX / 100BASE-T / Full-duplex / Half-duplex	
Panel type	5-line LCD with Push Scan features	
Protocol support	TCP/IP, DHCP, DNS, SNMP, SLP, HTTP	
IPv6 support Panel Lock with password	Yes Yes (with Document Capture Pro solutions)	
	····	
	000 v 100 v 170 mm (Middle v Dande v Haineld)	
Product dimensions	296 x 169 x 176 mm (Width x Depth x Height)	
Product dimensions Product weight	3.7 kg	
Product dimensions Product weight Drivers	3.7 kg TWAIN, WIA, ISIS (Web download)	
Product dimensions Product weight Drivers	3.7 kg	
Product dimensions Product weight Drivers Included Software	3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson	
GENERAL Product dimensions Product weight Drivers Included Software OTHER Warranty	3.7 kg TWAIN, WIA, ISIS (Web download) Epson Document Capture (Mac only), Epson Document Capture Pro (Windows only), Epson	

WorkForce DS-530N

# WHAT'S IN THE BOX

- Driver and utilities (CD)
- Main unit
- Power cable
- Setup guide
- USB cable
- Warranty Documents
- Epson Network Interface Panel



#### **OPTIONAL ACCESSORIES**

- Carrier Sheet B12B819051
- Roller Assembly Kit
- B12B819031 Cleaning Kit
- B12B819291

# LOGISTICS INFORMATION

SKU	B11B226401BU
EAN code	8715946620213

For more information please contact:

Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate. Web: www.epson.co.uk www.epson.ie  Compared to sheet-fed scanners, within the speed range of 25ppm to 39ppm, based on data from the websites and brochures of the top five best-selling scanner models in EMEA for the full year 2015 according to InfoSource Document Management Scanner Sales Full Year 2015.
 Requires download from Epson website

**EPSON**<sup>®</sup>

#### WorkForce DS-530N

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.